
TOUCH OF

MOSAIC



# MODULAR CARPET CATALOGUE

BALANCE

CARPET TILE

# TILES CARPE

## PROFESSIONAL EXPORTER & MANUFACTURER
## SILVERSTONE CARPET

Beijing Silver Stone International Trade Co., Ltd. was founded in 2002, located in Beijing, China, which is specialized in manufacturing and trading in carpet business. The leading products are Carpet Tiles, Axminster Carpets, Hand tuftes Carpets, Printed Carpets, Artificial Grass and so on. BALANCE is the brand of the Carpet Tile.

The factory of Carpet Tiles covers an area 30,000 square meters. We have nine tufting machines and two backing lines. Production capacity reached 300 thousand square meters per month.

Silverstone core value is supplying high quality products and excellent service. we focus on the design, research, development and production of carpet. We have the professional team with more than 20 years experience in the carpet industry.

**OUR PRINCIPLE IS "CREATING FASHION AND COMFORTABLE SPACE". SINCERELY LOOK FORWARD TO YOUR COOPERATION.**

## *POLYPROPYLENE SERIES*



LINUX
**Page:[01]**


BANDWIDTH
**Page:[03]**


BUFFER
**Page:[05]**



FRAMEWORK
**Page:[07]**


ILLUSION
**Page:[09]**



METADATA
**Page:[11]**



RECURSION
**Page:[13]**



TRAVERSE
**Page:[15]**



MISTY
**Page:[17]**



MISTRAL
**Page:[19]**



GROK
**Page:[21]**


AGILITY
**Page:[23]**


ATLAS
**Page:[25]**


COLOR SPEECH
**Page:[27]**



IDEAL HUB
**Page:[29]**


DIGITAL TRAIL
**Page:[31]**


MIDJOURNEY
**Page:[33]**


SIMULON
**Page:[35]**


SOLANA
**Page:[37]**


COPILOT
**Page:[39]**


*design*

# CARPET TILES

## POLYESTER SERIES



OPTIMUS
**Page:[41]**



FIGURE
**Page:[43]**



MENTEE
**Page:[45]**




PODWISE
**Page:[47]**



DIGIT
**Page:[49]**


## NYLON SERIES




PALETTE
**Page:[51]**



UNICODE
**Page:[53]**




GATEWAY
**Page:[55]**



METAVERSE
**Page:[57]**



ABSTRACT
**Page:[59]**




CYBERPUNK
**Page:[61]**




PRISM
**Page:[63]**




SPROUT
**Page:[65]**



PHOENIX
**Page:[67]**



NOTION
**Page:[69]**



**CLAUDE**
**Page:[71]**



TYPEFACE
**Page:[73]**




**ICLOUD**
**Page:[75]**



**GRAFFITI**
**Page:[77]**



DIFFUSION
**Page:[79]**



COGNITION
**Page:[81]**



DEVIN
**Page:[83]**



BOOLEAN
**Page:[85]**



MISTY FOREST
**Page:[87]**



MATRIX
**Page:[88]**



# MODULAR CARPET












LN501 Silver




LN502 Smoke



LN503 Charcoal



LN506 Fawn



LN512 Navy




LN521 Beige




LN527 Granola




LN535 Spruce



LN551 Parchment



LN553 Blue



LN555 Jam

## SPECIFICATION

- Construction: Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 480g/㎡
- Total Weight: 4200g/㎡±3%
- Pile Height: 3.0±0.5mm
- Total Thickness: Approx 5.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned




BANDWIDTH



## SPECIFICATION

- Construction: Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 480g/㎡
- Total Weight: 4200g/㎡±3%
- Pile Height: 3.0±0.5mm
- Total Thickness: Approx 5.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned





BW01 Silver



BW02 Beige



BW03 Navy



BW04 Clay



BW06 Walnut



BW07 Charcoal







BF01 Tawny



BF02 Yellowish Brown



BF03 Blue Ash



BF04 Charcoal





## SPECIFICATION

- Construction: Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 480g/㎡
- Total Weight: 4200g/㎡±3%
- Pile Height: 3.0±0.5mm
- Total Thickness: Approx 5.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned







FW01 Beige



FW02 Fawn



FW03 Demin



FW04 Brown



FW05 Smoke



FW06 Charcoal


## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/ ㎡
- Total Weight: 4500g/ ㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned








IL01 Blue



IL02 Charcoal




IL04 Brown



IL03 Grey



IL05 Fawn




IL06 Smoke

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/ ㎡
- Total Weight: 4500g/ ㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned












MD01 Beige



MD02 Brown



MD03 Smoke



MD04 Blue



MD05 Spruce




MD08 Charcoal

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/㎡
- Total Weight: 4500g/㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned









RC01 Smoke



RC02 Ash



RC03 Beige



RC04 Blue



RC05 Grey



RC06 Charcoal

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4200g/ ㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned











TV02 Lead



TV03 Shadow



TV04 Hazelnut



TV05 Lapis



TV06 Bark




TV07 Grey


## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/ ㎡
- Total Weight: 4500g/ ㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned





MS02 Taupe



MS04 Smoke



MS05 Bark





MS06 Hazelunt



MS07 Pewter



MS10 Shadow







## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/ ㎡
- Total Weight: 4500g/ ㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned












MS01 Charcoal




MS02 Smoke



MS03 Hazelnut



MS04 Navy



MS05 Pewter



MS06 Shadow

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4320g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned














GK01 Hazelnut




GK02 Grey




GK03 Shadow



GK04 Grass



GK05 Stone blue



GK06 Coral


## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4320g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned












AG01 Taupe




AG02 Blue




AG03 Tan




AG04 Gainsboro




AG05 Smoke



AG06 Green



AG07 Peru




AG08 Red

## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4400g/ ㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned









AL01 Taupe



AL02 Blue




AL03 Tan




AL04 Gainsboro




AL05 Smoke



AL06 Green



AL07 Peru



AL08 Red

## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4400g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned



COLOR SPEECH




CS01 Silver



CS11A Silver & Pear



CS22A Charcoal & Rose




CS11B Pear



CS22B Rose



CS02 Charcoal



CS12A Silver & Tangerine



CS21A Charcoal & Lapis



CS12B Tangerine



CS21B Lapis




## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 480g/㎡
- Total Weight: 4200g/㎡±5%
- Pile Height: 2.7mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned





IH01 Smoke




IH02 Smoke & Crimson



IH03 Smoke & Orange



IH04 Smoke & Ivory



IH05 Smoke & Shamrock



IH06 Smoke & Indigo



## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/ ㎡
- Total Weight: 4200g/ ㎡±3%
- Pile Height: 2.5mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned







DT01 Beige




DT02 Silver




DT03 Smoke




DT04 Charcoal



DT11 Beige & Tangerine



DT21 Silver & Lapis



DT31 Smoke & Pear



DT41 Charcoal & Daisy



## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 480g/㎡
- Total Weight: 4200g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned










MJ01 Taupe



MJ02 Pewter



MJ03 Shadow




MJ04 Charcoal



## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 550g/ ㎡
- Total Weight: 4500g/ ㎡±5%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned









SM01 Smoke



SM02 Lead



SM03 Hazel wood



SM04 Navy



## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/㎡
- Total Weight: 3000g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC / Modified Bitumen
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned









SL01 Smoke



SL02 Lead



SL03 Hazel wood



SL04 Navy

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/㎡
- Total Weight: 3000g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC / Modified Bitumen
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned









CP01 Shadow



CP02 Cobalt




CP03 Ruby



CP04 Tan



CP05 Peru



CP06 Grass

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polypropylene
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 520g/㎡
- Total Weight: 3000g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC / Modified Bitumen
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned










OT01 Fawn




OT11 Fawn & Parchment




OT21 Parchment




OT02 Granola




OT12 Granola & Tan




OT22 Tan




OT03 Smoke




OT13 Smoke & Olive




OT23 Olive



OT04 Bark




OT14 Bark & Peacock




OT24 Peacock



OT05 Charcoal



OT15 Charcoal & Jam



OT25 Jam

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polyester
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4300g/㎡±3%
- Pile Height: 3mm-5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned





FG01 Taupe



FG02 Oat



FG03 Slate



FG04 Pewter



FG05 Charcoal



FG01A Taupe & Tan



FG02A Oat & Oeru



FG03A Slate & Navy



FG04A Pewter & Grass



FG05A Charcoal & Ruby

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polyester
- Tufting Gauge: 5/64"
- Dye Method: Solution Dyed
- Pile Weight: 450g/ ㎡
- Total Weight: 4300g/ ㎡±3%
- Pile Height: 3.5±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned







MT01 Parchment



MT02 Bark



MT03 Maroon



MT04 Smoke



MT05 Charcoal



MT11 Parchment



MT12 Bark



MT13 Maroon



MT14 Smoke



MT15 Charcoal





## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polyester
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4500g/ ㎡±3%
- Pile Height: 3mm-5mm
- Total Thickness: Approx 6.5mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned











PW01 Gainsboro



PW02 Maroon



PW03 Lead



PW04 Charcoal

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polyester
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4400g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned











DG01 Gainsboro



DG02 Taupe



DG03 Bark



DG04 Shadow



DG05 Lead



DG06 Charcoal

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Polyester
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4500g/ ㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 33.33cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned




PL11 Gainsboro


PL12 Oat


PL13 Hazelnut


PL21 Grey



PL22 Slate



PL23 Smoke



PL24 Pewter


PL25 Shadow


PL26 Charcoal



PL31 Stone blue



PL32 Lapis


PL33 Steel blue


PL34 Cobalt


PL35 Navy


PL36 Peacock


PL37 Dark blue


PL41 Taupe


PL42 Hazel wood



PL43 Bark



PL44 Lead



PL51 Yellow Green



PL52 Grass


PL53 Olive


PL54 Pale blue


PL55 Sea foam


PL56 Powder blue


PL71 Pale Violet red



PL72 Crimson


PL73 Ruby


PL81 Tan


PL82 Peru


PL83 Coral



## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 5/64"
- Dye Method: Solution Dyed
- Pile Weight: 450g/ ㎡
- Total Weight: 4200g/ ㎡ ±5%
- Pile Height: 3.0mm ± 0.5mm
- Total Thickness: Approx 5.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned








SIZE: 50cm x 50cm



UC5011A Beige


UC5021A Gray



UC5022A Ash


UC5023A Charcoal



UC5031 Indigo


UC5011B Beige


UC5021B Gray



UC5022B Ash



UC5023B Charcoal


UC5051 Lime


UC5011C Beige


UC5021C Gray


UC5022C Ash


UC5023C Charcoal

SIZE: 25cm x 100cm


UC5011A


UC5011B


UC5011C


UC5021A


UC5021B


UC5021C


UC5022A


UC5022B


UC5022C


UC5031


UC5051


UC5023A



UC5023B


UC5023C


## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4500g/㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.5mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm; 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned





GW02 Maroon




GW03 Smoke




GW02A Maroon



GW03A Smoke



GW05 Gray




GW06 Ash




GW05A Gray




GW06A Ash



GW08 Cobalt



GW09 Charcoal



GW08A Cobalt



GW09A Charcoal







## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 580g/㎡
- Total Weight: 4600g/㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 7.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned













MV01 Coin




MV02 Smoke




MV03 Pebble




MV04 Charcoal



MV05 Flint



MV06 Slate



MV07 Anchor



MV08 Pewter

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 520g/㎡
- Total Weight: 4400g/㎡±5%
- Pile Height: 2.5mm - 5.4mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned












AT01 Beige



AT02 Maroon



AT01A Beige



AT02A Maroon




AT03 Cream




AT04 Ash




AT03A Cream



AT04A Ash




AT05 Smoke



AT06 Charcoal



AT05A Smoke



AT06A Charcoal



## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 550g/㎡
- Total Weight: 4500g/㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned











## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 510g/㎡
- Total Weight: 4600g/㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned



CPO1 Hazel wood




CP02 Charcoal




CP03 Beige




CP04 Smoke




CP05 Slate




CP06 Ash




CP07 Chartreuse




CP08 Cerulean




CP09 Crimson




CP10 Blue




PRISM 103B




PRISM 103A




PRISM 102B




PRISM 102A



PRISM 101B



PRISM 101A



PRISM 100




PRISM 301



PRISM 300



PRISM 201B




PRISM 201A




PRISM 200




PRISM 302



PRISM 202B



PRISM 202A



PRISM 203B



PRISM 203A




## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Universal Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 550g/ ㎡
- Total Weight: 4400g/ ㎡±5%
- Pile Height: 2.8mm - 6.0mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned





SPROUT SERIES





SP02 Hazelnut



SP03 Lead




SP04 Taupe



SP05 Hazel wood



SP06 Oat



SP07 Bark

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Universal Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 550g/㎡
- Total Weight: 4600g/㎡±3%
- Pile Height: 5.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned













PN01 Taupe



PN02 Stone blue



PN03 Slate



PN04 Peacock



PN05 Pewter



PN06 Shadow

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100%  Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4320g/ ㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned














NT01 Taupe




NT02 Smoke




NT03 Shadow



NT04 Charcoal



NT05 Bark



NT06 Cobalt

## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 700g/ ㎡
- Total Weight: 4700g/ ㎡±3%
- Pile Height: 3.0mm - 5.0mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned














CL01 Taupe




CL02 Smoke




CL03 Shadow



CL04 Charcoal



CL05 Bark




CL06 Cobalt

## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4000g/ ㎡±3%
- Pile Height: 3.0mm - 5.0mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned













TF01 Smoke




TF02 Grey




TF03 Shadow




TF04 Tan




TF05 Violet red



TF06 Grass



TF07 yellow green



TF08 Lapis




TF09 Cobalt

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4000g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 50cm x 50cm
- Recommended Installation: Monolithic or Quarter Turned







IC01 Maroon | IC02 Olive | IC03 Ash | IC04 Smoke | IC05 Blue | IC06 Taupe | IC07 Sand dollar | IC08 Charcoal

## SPECIFICATION


- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4200g/㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned


GF20311 Cobalt


GF20331 Cerulean


GF20511 Parakeet


GF20141 Gold


GF20111 Butter


GF20521 Pine


GF20121 Beige


GF20131 Slategray


GF20211 Charcoal


GF20312 Cobalt


GF20332 Cerulean


GF20512 Parakeet


GF20142 Gold


GF20112 Butter


GF20522 Pine


GF20122 Beige


GF20132 Slategray


GF20212 Charcoal


GF20313 Cobalt


GF20333 Cerulean


GF20513 Parakeet


GF20143 Gold


GF20113 Butter


GF20523 Pine


GF20123 Beige


GF20133 Slategray



GF20213 Charcoal




## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 620g/ ㎡
- Total Weight: 4800g/ ㎡±3%
- Pile Height: 2.5mm - 5mm
- Total Thickness: Approx 7.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned







Nylon

GRAFFITI Series











DF01 Shadow



DF02 Stone blue



DF03 Shadow



DF04 Lead



DF05 Hazel wood




DF06 Bark

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/ ㎡
- Total Weight: 4320g/ ㎡±3%
- Pile Height: 4.0±0.5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned











CG02 Hazel wood



CG03 Pewter



CG04 Bark



CG05 Peacock



CG10 shadow



CG12 Charcoal

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 500g/㎡
- Total Weight: 4600g/㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned






DV01 Taupe


DV03 Hazel wood


DV04 Pewter


DV05 Shadow


DV06 Charcoal



DV07 Gainsboro

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/10"
- Dye Method: Solution Dyed
- Pile Weight: 650g/ ㎡
- Total Weight: 4720g/ ㎡±3%
- Pile Height: 3mm - 5mm
- Total Thickness: Approx 6.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 25cm x 100cm
- Recommended Installation: Monolithic or Quarter Turned








BL20121 Smoke




BL20131 Indigo



BL20141 Moche



BL20142 Umber



BL20151 Ash




BL20181 Clay

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 640g/ ㎡
- Total Weight: 5600g/ ㎡±3%
- Pile Height: 3.0mm - 6.0mm
- Total Thickness: Approx 8.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 45.72cm x 91.44cm
- Recommended Installation: Monolithic or Quarter Turned







## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 640g/ ㎡
- Total Weight: 5600g/ ㎡±3%
- Pile Height: 3.0mm - 6.0mm
- Total Thickness: Approx 8.0mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 45.72cm x 91.44cm
- Recommended Installation: Monolithic or Quarter Turned



MF20421




MF20422




MF20424



MF204231B Cobalt




MF20432B Cerulean



MF20451B Shamrock




MF20452B Pine




MF20433B Indigo




MF20471B Chimson



MF204231C Cobalt



MF20432C Cerulean




MF20451C Shamrock



MF20452C Pine



MF20433C Indigo



MF20471C Chimson




20123/20142


20113/20131

## SPECIFICATION

- Construction: Multi - Level Loop
- Pile Fiber Composition: 100% Nylon
- Tufting Gauge: 1/12"
- Dye Method: Solution Dyed
- Pile Weight: 650g/㎡
- Total Weight: 4600g/ ㎡±3%
- Pile Height: 2.6mm - 6.5mm
- Total Thickness: Approx 6.5mm
- Primary Backing: polyester Spunbonded
- Backing Structure: Glass Reinforced PVC
- Tile Size: 45.72cm x 91.44cm
- Recommended Installation: Monolithic or Quarter Turned


20111


20112


20113


20121


20122


20123


20131


20141


20142


BALANCE
CARPET TILE